



CITY OF SANTEE

MAYOR
John W. Minto

CITY COUNCIL
Ronn Hall
Stephen Houlahan
Brian W. Jones
Rob McNelis

July 11, 2018

**MISSION GORGE ROAD MEDIAN INSTALLATION
HSIPL 5429 (026)
CIP 2015-13
ADDENDUM NO. 2**

To Prospective Bidder(s):

This Addendum No. 1, 2 pages in total including cover letter forms an essential part of the contract documents by revising the Plans and Specifications with the following:

2A CONTRACT DOCUMENTS

2A-1 The Contract Disadvantaged Business Enterprise (DBE) goal has been revised to twenty five percent (25%) from thirty one percent (31%) in the original contract.

2B SPECIFICATIONS

2B-1 Add the following:

800-1.8 Root Barrier
Add the following subsection:

Root barrier shall be 20-feet long, 24" deep 'UB 24-2' plastic root control barrier as manufactured by DeepRoot (800-458-7668) or approved equal.

801-1.7.3 Root Barrier
Add the following subsection:

Install root barrier in locations shown on the Plans, or for trees within 10 feet of hardscape. The barrier shall be placed 1 inch below finish grade against the back of the curb or edge of concrete. Vertical raised ribs on the barrier shall be faced towards the tree(s). The barrier shall be installed vertically or with top inclined towards the tree.

2C DRAWINGS
No Changes

2D RFI RESPONSES
None

Receipt of this addendum shall be acknowledged by attaching and/or indicating as such on the Information Required of Bidder to the submitted Bid Documents.



Taylor Carrico
Assistant Engineer